

Notice of Allowability

Application No.

09/634,082

Examiner

Julian W. Woo

Applicant(s)

BEATY, KEITH D.

Art Unit

3731

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment of 11/15/04.
2. ☒ The allowed claim(s) is/are 90-95, 97-111, 113-120 and 122-142.
3. ☒ The drawings filed on 08 August 2000 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____ |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Daniel J. Burnham, Reg. No. 39,618, on November 29, 2004.

2. The application has been amended as follows:

In claim 98, line 11, delete "as defined by said tool" and insert --corresponding to the length and width dimension of the said engaging surface--.

In claim 110, line 10, after "simultaneously," insert --and continuously--. In line 11, after "bore," insert --while the bore is created--.

3. The following is an examiner's statement of reasons for allowance: None of the prior art of record, alone or in combination, discloses a device for developing in living bone an elongated bore that includes, inter alia, a compaction tool and a driving mechanism with means for vibrationally moving the tool, where the tool has bone-engaging surface having depth markings; and method of installing a dental implant into a bore in living bone, where the method includes developing the bore with an osteotome tool having piezoelectric transducer element as a driving mechanism, where the bore has length and width dimension corresponding the a length and width dimension of an engaging surface of the osteotome, where the osteotome simultaneously and

Art Unit: 3731

continuously engages living bone, while the bore is created; and where a dental implant is screwed into the bore. None of the prior art of record, alone or in combination discloses, a dental system with, inter alia, a screw-type dental implant and an osteotome tool having a cutting edge and a bone-compacting surface and a piezoelectric transducer element as a driving mechanism. Also, none of the prior art of record, alone or in combination, discloses an osteotome tool having, inter alia, a cross-section that increases from a lower end to an upper end, where the tool also has depth markings between the lower end and the upper end. Finally, none of the prior art of record, alone or combination, discloses a set of components with, inter alia, a screw-type dental implant, a compaction tool, and a vibrational driving mechanism for the tool.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julian W. Woo whose telephone number is 571-272-4707. The examiner can normally be reached on M-F, 6:30-4:00, Alt. Fri. OFF, 6:30-3:00 Fri. IN.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anh Tuan Nguyen can be reached on 571-272-4963. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Julian W. Woo
Primary Examiner
Art Unit 3731

November 29, 2004